

## •SOT-89 Power Dissipation

Power dissipation data for the SOT-89 is shown in this page.

The value of power dissipation varies with the mount board conditions.

Please use this data as one of reference data taken in the described condition.

### 1. Measurement Condition (Reference data)

Condition : Mount on a board

Ambient : Natural convection

Soldering : Lead (Pb) free

Board : Dimensions 40x40mm (1600mm<sup>2</sup> in one side)

Copper (Cu) traces occupy 50% of the board area


In top and back faces

Package heat-sink is tied to the copper traces

Material : Glass Epoxy (FR-4)

Thickness : 1.6mm

Through-hole : 5 x 0.8 Diameter




Evaluation Board (Unit: mm)

### 2. Power Dissipation vs. Ambient temperature

Board Mount ( Tjmax=125°C )

Ambient Temperature (°C)	Power Dissipation Pd (mW)	Thermal Resistance (°C/W)
25	1000	100.00
85	400	



## **•SOT-89 Power Dissipation ( $T_j=150^{\circ}\text{C}$ )**

## **MOSFET DATA**

Power dissipation data for the SOT-89 is shown in this page.

The value of power dissipation varies with the mount board conditions.

Please use this data as one of reference data taken in the described condition.

### 1. Measurement Condition (Reference data)

Condition : Mount on a board


Ambient : Natural convection

Soldering : Lead (Pb) free

Board : Dimensions 250mm<sup>2</sup>

Material : Ceramic

Thickness : 0.8mm



Evaluation Board (Unit : mm)

### 2. Power Dissipation vs. Ambient temperature

Board Mount (  $T_{j\max}=150^{\circ}\text{C}$  )

Ambient Temperature (°C)	Power Dissipation Pd (mW)	Thermal Resistance (°C/W)
25	1500	83.33
105	540	

